

3

ANSWERS TO EVEN-NUMBERED EXERCISES

2. How can you keep other users from using write to communicate with you? Why would you want to?

Give the command `mesg n` to keep ordinary users from writing to your terminal. You can take this action when you do not want to be disturbed or are viewing something on your screen that you do not want overwritten.

4. How can you find out which utilities are available on your system for editing files? Which utilities are available for editing on your system?

Give the command `apropos editor`. Typical editors are vim, ex, ed, and pico.

6. What happens when you use diff to compare two binary files that are not identical? (You can use gzip to create the binary files.) Explain why the diff output for binary files is not the same as the diff output for ASCII files.

When you compare binary files with diff, the utility displays a message saying the files differ when that is the case or no message when the files are the same. The diff utility compares ASCII files on a line-by-line basis; it is not designed to compare binary files on a byte-by-byte basis. Use cmp to compare binary files in that manner.

8. What is the result of giving the which utility the name of a command that resides in a directory that is *not* in your search path?

The which utility displays a message saying that the command you are looking for is not in the list of directories that are in your search path. For example,

```
$ which me
/usr/bin/which: no me in (/usr/local/bin:/bin:/usr/bin:/usr/X11R6bin:.)
```

10. Experiment by calling the file utility with names of files in **/usr/bin**. How many different types of files are there?

Approximately 20.

12. Re-create the **colors.1** and **colors.2** files used in Figure 3-8 on page 52. Test your files by running **diff -u** on them, and see whether you get the same results as in the figure.

```
$ cat colors.1
red
green
yellow
pink
purple
orange
```

```
$ cat colors.2
red
blue
green
yellow
orange.
```

14. Repeat exercise 5 using the file **phone.gz**, a compressed version of the list of names and phone numbers. Try to consider more than one approach to answer each question, and explain how you made your choices.

You can either decompress the file using `gunzip`, giving the same commands as exercise 5 used once the file is decompressed, or use `zcat` and a pipe to display the results without creating an intermediate file as shown here:

```
$ zcat phone.gz | grep "Ace Electronics"
$ zcat phone.gz | sort
$ zcat phone.gz | uniq
$ zcat phone.gz | sort -u
```

Which technique you use makes a significant difference only if the **phone.gz** file is large, in which case it becomes an issue of what you are doing and making a tradeoff between using more CPU (processor) time and less hard disk storage, or vice versa.

When you are giving one of the commands one time only, using a pipe is more efficient. When you want to give more than one of the commands or you want to give one of the commands repeatedly, it is more efficient to decompress the file one time using `gunzip` and then process it repeatedly with `grep`, `sort`, or `uniq`, assuming you have sufficient disk space. The most inefficient technique as far as disk space goes and the most efficient as far

as CPU (and your) time goes is to put the output of `grep`, `sort`, or `uniq` in new files using a redirect output symbol as shown here:

```
$ zcat phone.gz | sort > phone.sort
```

16. Some mailers—particularly older ones—are not able to handle binary files. Suppose that you are mailing a file that has been compressed with `gzip`, which produces a binary file, and you do not know what mailer the recipient is using. Refer to the man page for `uuencode`, which converts a binary file to an ASCII file. Learn about the utility and how to use it.
- a. Convert a compressed file to ASCII, using `uuencode`. Is the encoded file larger or smaller than the compressed file? Explain. (If `uuencode` is not on your system, you can download it from rpmfind.net; it is part of the GNU `sharutils` package.)

The following command converts the file `memo.gz` to ASCII using `uuencode`. The `.uuencode` filename extension is not required.

```
$ uuencode memo.gz > memo.gz.uuencode
```

The resulting ASCII file is larger than the original binary file because `uuencode` includes control information.

- b. Would it ever make sense to use `uuencode` on a file before compressing it? Explain.

No purpose is served by using `uuencode` to convert a binary file to ASCII before compressing it because compressing an ASCII file creates a binary file.