## **ANSWERS TO EVEN-NUMBERED EXERCISES**

2. Using sort as a filter, rewrite the following sequence of commands:

```
$ sort list > temp
$ lpr temp
$ rm temp
$ cat list | sort | lpr
```

4. Assume that the following files are in the working directory:

Give commands for each of the following, using wildcards to express filenames with as few characters as possible.

a. List all files that begin with section.

```
$ 1s section*
```

b. List the section1, section2, and section3 files only.

```
$ ls section[1-3]
```

c. List the intro file only.

```
$ 1s i*
```

d. List the section1, section3, ref1, and ref3 files.

```
$ ls *[13]
```

- 6. Give a command to
  - a. Redirect the standard output from a sort command into a file named **phone\_list**. Assume that the input file is named **numbers**.

```
$ sort numbers > phone_list
```

b. Translate all occurrences of the characters [ and { to the character (, and all occurrences of the characters ] and } to the character ) in the file **permdemos.c.** (*Hint:* Refer to the tr man pafge.)

```
$ cat permdemos.c | tr '[{}]' '(())' or
$ tr '[{}]' '(())' < permdemos.c</pre>
```

c. Create a file named **book** that contains the contents of two other files: part1 and part2.

```
$ cat part[12] > book
```

- 8. Give an example of a command that uses grep
  - a. With both input and output redirected.

```
$ grep \$Id < *.c > id_list
```

b. With only input redirected.

```
$ grep -i suzi < addresses</pre>
```

c. With only output redirected.

```
$ grep -il memo *.txt > memoranda_files
```

d. Within a pipe.

```
$ file /usr/bin/* | grep "Again shell script" | sort -r
```

In which of the preceding is grep used as a filter?

Example d uses grep as a filter.

10. When you use the redirect output symbol (>) with a command, the shell creates the output file immediately, before the command is executed. Demonstrate that this is true.

```
$ ls aaa
ls: aaa: No such file or directory
$ ls xxxxx > aaa
ls: xxxxx: No such file or directory
$ ls aaa
aaa
```

The first command shows that the file aaa does not exist in the working directory. The second command uses Is to attempt to list a nonexistent file (xxxxx) and sends the standard output to aaa. The Is command fails and sends an error message to standard error (you see it on the screen). Even

though the Is command failed, the empty file named aaa exists. Because the Is command failed, it did not create the file; the shell created it before calling Is.

- 12. Assume that your permissions allow you to write to a file but not to delete it.
  - a. Give a command to empty the file without invoking an editor.
  - \$ filename < /dev/null or
  - \$ cat /dev/null > filename
  - b. Explain how you might have permission to modify a file that you cannot delete.

To delete a file, you must have write and execute permission for the directory housing the file. To write to a file, you must have write permission for the file and execute permission for the parent directory. When you have write permission only for a file and execute permission only for the directory the file is in, you can modify but not delete the file.

14. Why does the **noclobber** variable *not* protect you from overwriting an existing file with cp or mv?

The noclobber variable keeps the shell from overwriting a file and does not work on utilities. Thus it keeps a redirect symbol (>) from allowing the shell to overwrite a file (the shell redirects output) but has no effect when you ask cp or mv to overwrite a file.

16. Create a file named answer and give the following command:

\$ > answers.0102 < answer cat</pre>

Explain what the command does and why. What is a more conventional way of expressing this command?

Reading the command line from left to right, it instructs the shell to redirect standard output to answers.0102, redirect standard input to come from answer, and execute the cat utility. More conventionally, the same command is expressed as

\$ cat answers > answers.0102